



## CERTIFICATE OF ANALYSIS

### **Charcoal: Dextran Stripped Fetal Bovine Serum** **(Catalog Number 100-119)**

Lot Number: A122037

Date of Manufacture: Feb2022

Product Expiry: Feb2027

Origin: United States

Storage Temperature: ≤ -10°C

For Cell culture, Further Manufacturing or Research use Only. Not for Direct Therapeutic Use.

**Product description:** Charcoal: Dextran Stripped Fetal Bovine Serum is sterile-filtered through a 0.1 µm filter prior to freezing.

Test	Methodology	Specification	Analysis
<b>Biological Testing</b>			
Endotoxin	USP<85>, EP 2.6.14	<10.0 EU/mL	<1 EU/mL
Hemoglobin		<20.0 mg/dL	3.78 mg/dL
<b>Microbiological Testing</b>			
Sterility	USP<71>, EP 2.6.1		
Bacteria		No Growth	No Growth
Fungi		No Growth	No Growth
Mycoplasma		Not Detected	Not Detected
<b>Viral Testing</b>			
	9CFR 113.53c[113.46, 113.47]		
Cytopathic Agents		Not Detected	Not Detected
Hemadsorbing Agents		Not Detected	Not Detected
<b>Extraneous Viruses (FAB)</b>			
Bluetongue Virus		Not Detected	Not Detected
Bovine Adenovirus		Not Detected	Not Detected
Bovine Parvovirus		Not Detected	Not Detected
Bovine Viral		Not Detected	Not Detected
Diarrhea(cytopathic)			
Bovine Syncytial Virus		Not Detected	Not Detected
Bovine Rabies Virus		Not Detected	Not Detected
Reovirus		Not Detected	Not Detected
<b>Physical Testing</b>			
Electrophoretic Pattern	Cellulose Acetate	Normal	Normal
Osmolality	USP<785>, EP 2.2.35	260 – 350 mOsm/ kg	304 mOsm/kg
pH@RT	USP<791>	6.5 – 8.5	7.48



## CERTIFICATE OF ANALYSIS

### **Charcoal: Dextran Stripped Fetal Bovine Serum**

**(Catalog Number 100-119)**

Lot Number: A122037

Test	Methodology	Specification	Analysis
<b>Biochemistry</b>			
Albumin		Test and Report	1.9 g/dL
Alkaline Phosphatase		Test and Report	181 IU/L
ALT (SGPT)		Test and Report	5 IU/L
AST (SGOT)		Test and Report	47 IU/L
GGT		<10 U/L	4 IU/L
Bilirubin, Total		Test and Report	0.1 mg/dL
BUN		Test and Report	13 mg/dL
Calcium		Test and Report	11.9 mg/dL
Chloride		Test and Report	97 mmol/L
Cholesterol		Test and Report	27 mg/dL
Cortisol		Test and Report	<0.20 µg/dL
Creatinine		Test and Report	0.0 mg/dL
Glucose		Test and Report	100 mg/dL
IgG	ELISA	<0.300 mg/mL*	89.8 µg/mL
Insulin		Test and Report	<2.36 µIU/mL
Iron, Serum		Test and Report	172 µg/dL
Phosphorus		Test and Report	9.8 mg/dL
Potassium		Test and Report	11.2 mmol/L
Progesterone		Test and Report	<0.1 ng/mL
Protein, Total	Biuret	2.5 – 6.0 g/dL	3.2 g/dL
Sodium		Test and Report	135 mmol/L
Testosterone		Test and Report	<0.01 ng/mL
T3		Test and Report	<0.10 ng/dL
T4		Test and Report	3.0 µg/dL
Triglycerides		Test and Report	62 mg/dL
Tetracycline		<4 ng/mL	<0.16 ng/mL
Uric Acid		Test and Report	0.0 mg/dL

Our fetal bovine serum meets all USDA requirements and has passed ante and post-mortem inspection by a licensed veterinarian. It is collected in countries recognized as being free of foot-and-mouth disease and rinderpest. The origin of all fetal bovine serum is traceable by lot number, date and country of collection. Precipitates may develop in this product upon freezing and/or thawing; this occurrence does not impact culture performance. \*Some geographic regions may test higher than 0.300 mg/mL. If this be the case, refer to GGT results less than 10 U/L to ensure FBS purity.

The testing that has been performed as part of this lot release has been reviewed by Quality Assurance personnel and has confirmed that the testing meets the specifications presented on this Certificate of Analysis.



**CERTIFICATE OF ANALYSIS**  
**Charcoal: Dextran Stripped Fetal Bovine Serum**  
**(Catalog Number 100-119)**

Lot Number: A122037

VANESSA YOUNG

Name

11 JUL 2022

Date

QA ASSOCIATE II

Title