

Certificate of Analysis

Manufacture Date: Apr 2020

29.4%

100%

Expiration Date: Mar 2022

Revised May 05, 2020

Product:

Bovine Serum Albumin (BSA) Solution—30%

Catalog #: 700-110 Lot #: C48J00L

TEST

Microbiological Testing Microbial Growth

Extraneous Viruses (FAb)
Bluetongue Virus

Viral Testing

Physical Testing pH @ RT, 10% Solution

Biochemical Testing

Protein

Purity

Origin: United States (100%)

Vesicular Stomatitis Virus

| | Expiration Date: Mai 2022 | |
|-----|------------------------------|------------------------------|
| OGY | SPECIFICATION | RESULTS |
| | ≤3 cfu/mL | <1 cfu/mL |
| | Not Detected Not Detected | Not Detected Not Detected |
| | 6.9-7.3 | 7.08 |

28 - 31%

≥98%

Filtered through a 0.2 µm filter before lyophilizing

This material was prepared from bovine plasma obtained from cattle of less than 30 months of age and that have received ante- and post-mortem health inspections from APHIS Inspectors within facilities inspected by the USDA.

For Cell Culture, further Manufacturing and Research use only. Not for direct Therapeutic use.

METHODOLO

Chemistry Analyzer

Agarose Gel Electrophoresis

Created by/ date

Verified by/ date