

## **Certificate of Analysis**

Created September 11, 2018

**Product:** 

Bovine Serum Albumin (BSA) Fraction V - Standard Grade

Powder

Catalog #: 700-100P Lot #: C78H09J

Origin: United States (100%)

Manufacture Date: Aug 2018 Expiration Date: Aug 2021

| TEST                       | <b>M</b> ETHODOLOGY | SPECIFICATION | RESULTS           |
|----------------------------|---------------------|---------------|-------------------|
| Viral Testing              |                     |               | 51 111 51 110 110 |
| Extraneous Viruses (FAb)   |                     |               |                   |
| Bluetongue Virus           |                     | Negative      | Negative          |
| Vesicular Stomatitis Virus |                     | Negative      | Negative          |
| Physical Testing           |                     |               |                   |
| pH @ RT, 10% Solution      |                     | 6.7-7.3       | 6.9               |
| Conductivity, 10% Solution |                     | ≤3,000 µS     | 845 μS            |
| Biochemical Testing        |                     |               |                   |
| Purity                     | HPLC                | ≥98%          | 100%              |

This material was prepared from bovine plasma obtained from cattle that have received ante- and post-mortem health inspections from APHIS Inspectors within facilities inspected by the USDA.

For Cell Culture, further Manufacturing and Research use only. Not for direct Therapeutic use.

Created by/ date

Verified by/ date