

Certificate of Analysis

Created May 31, 2018

Product:

Donor Goat Serum

0.2µm sterile-filtered

Catalog #: 100-109 Lot #: E53H15I

Origin: United States (100%)

Manufacture Date: Mar 2017 Expiration Date: Mar 2022

TEST	SPECIFICATION	RESULTS	
Biological Testing			
Endotoxin	Test and Report	None Detected	
Microbiological Testing			
Sterility			
Bacteria	No Growth	No Growth	
Fungi	No Growth	No Growth	
Mycoplasma	None Detected	None Detected	
Physical Testing			
рН	7.0 - 8.5	8.0	
Biochemical Analysis			
Albumin	Test and Report	3.0 g/dL	
Alkaline Phosphatase	Test and Report	150 U/L	
ALT (SGPT)	Test and Report	17 U/L	
AST (SGOT)	Test and Report	67 U/L	
Bilirubin, Total	Test and Report	0.2 mg/dL	
BUN	Test and Report	23 mg/dL	
Calcium	Test and Report	2.3 mM	
Chloride	Test and Report	106 mM	
Cholesterol	Test and Report	54 mg/dL	
Creatinine	Test and Report	0.63 mg/dL	
Glucose	Test and Report	3.7 mM	
Hemoglobin	Test and Report	9.5 mg/dL	
LDH	Test and Report	281 U/L	
Phosphorus	Test and Report	2.1 mM	
Potassium	Test and Report	4.8 mM	
Protein, Total	Test and Report	7.1 g/dL	
Sodium	Test and Report	143 mM	
Triglycerides	Test and Report	14 mg/dL	
Uric Acid	Test and Report	<1.5 mg/dL	
11MA ALAM	RAMA	Le moder a	