



CERTIFICATE OF ANALYSIS

Penicillin: Streptomycin Solution

10,000 U/mL:10mg/mL

(Catalog Number 400-109)

Lot Number: F324009

Date of Manufacture: Jul2024

Product Expiry: Jul2026

Origin: United States

Storage Temperature: ≤ -10°C

For Cell culture, Further Manufacturing or Research use Only. Not for Direct Therapeutic Use.

Product description: *Penicillin: Streptomycin Solution is sterile-filtered through a 0.2 µm filter prior to freezing.*

Test	Methodology	Specification	Analysis
Microbiological Testing			
Sterility	USP<71>, EP 2.6.1		
Bacteria		No Growth	No Growth
Fungi		No Growth	No Growth
Physical Testing			
Osmolality	USP<785>, EP 2.2.35	Test and Report	326 mOsm/kg
pH	USP<791>	Test and Report	6.56
Biological Testing			
Endotoxin	USP<85>, EP 2.6.14	< 10.0 EU/ mL	< 10.0 EU/ mL

The testing that has been performed as part of this lot release has been reviewed by Quality Assurance personnel and has confirmed that the testing meets the specifications presented on this Certificate of Analysis.

Josselyn Salinas

Name

Quality Control Supervisor

Title

31 JUL 2024

Date