



CERTIFICATE OF ANALYSIS

Human holo-Transferrin

Powder

(Catalog Number 800-131P)

Lot Number: H426014

Origin: United States

Date of Manufacture: Apr2024

Storage Temperature: 2°C – 8°C

Product Expiry: Apr2029

For cell culture, further manufacturing or research use only. Not for direct therapeutic use.

Test	Methodology	Specification	Analysis
Biological Testing			
Bioburden	BBI SMP 1097	<10 cfu/mL	Pass
Endotoxin	LAL	≤1 EU/mg	0.312 EU/mg
Microbiological Testing			
Mycoplasma		Not Detected	Not Detected
Viral Testing			
HBsAg		Non-Reactive	Non-Reactive
Anti-HCV		Non-Reactive	Non-Reactive
Anti-HIV-1/HIV-2		Non-Reactive	Non-Reactive
ALT		Negative	Negative
Syphilis		Negative	Negative
HBV-NAT		Non-Reactive	Non-Reactive
HIV-NAT		Non-Reactive	Non-Reactive
HAV-NAT		Non-Reactive	Non-Reactive
HCV-NAT		Non-Reactive	Non-Reactive
Parvo B19-NAT		Non-Reactive	Non-Reactive
Physical Testing			
Appearance		Report	Salmon Pink to Reddish Powder
pH @ RT, 3% Solution		6.5 – 8.0	7.46
Moisture		≤5.0%	0.59%
Solubility		Readily Soluble at 1% in De-ionized water	Pass
Optical Density		Report	13.11
Biochemical Testing			
Purity	Gel Electrophoresis	≥98% of total protein	Pass
Protein Analysis		>98%	99.56%
SDS-Polyacrylamide Gel		Conforms	Conforms
Iron Estimated by ICP		1100-1600 ppm	1226.8 ppm



CERTIFICATE OF ANALYSIS

Human holo-Transferrin

Powder

(Catalog Number 800-131P)

Lot Number: H426014

Results shown were obtained by carefully performed methods believed to be reliable. However, since some results may vary for specific tests depending on the methodology and other variables, it is suggested that tests for which results are particularly important to be repeated by the user of this product. All human blood products are collected from stringently screened donors at FDA-licensed collection centers in the United States. Single homogenous batch, heat treated at $62^{\circ}\text{C} \pm 2^{\circ}\text{C}$ for 10 hours and lyophilized from approximately $0.02\text{M NH}_4\text{HCO}_3$. May contain traces of buffer salts. Dispensed by dry weight. Store at $2^{\circ}\text{C} - 8^{\circ}\text{C}$. Allow temperature to equilibrate to room temperature prior to use.

The testing that has been performed as part of this lot release has been reviewed by Quality Assurance personnel and it has been confirmed that the testing meets the specifications presented on this Certificate of Analysis.

Levi Timmos
Name

23 FEB 2026
Date

QC Associate I
Title