



CERTIFICATE OF ANALYSIS
Foundation™ Fetal Bovine Serum
(Catalog Number 900-108)

Lot Number: A326006

Date of Manufacture: Feb2026

Product Expiry: Feb2031

Origin: Honduras

Storage Temperature: ≤ -10°C

For cell culture, further manufacturing or research use only. Not for direct therapeutic use.

Product Description: Foundation™ Fetal Bovine Serum is sterile-filtered through a 0.1 µm filter prior to freezing.

Test	Methodology	Specification	Analysis
Biological Testing			
Endotoxin	USP <85> & EP 2.6.14	<50.0 EU/mL	1 EU/mL
Hemoglobin	USP <90>	<40.0 mg/dL	10.91 mg/dL
Microbiological Testing			
Sterility	USP <71>		
Bacteria		No Growth	No Growth
Fungi		No Growth	No Growth
Mycoplasma	Barile and Kern & Hoechst Fluorochrome Stain	Not Detected	Not Detected
Viral Testing	9CFR113.53c[113.46,113.47]		
Cytopathic Agents		Not Detected	Not Detected
Hemadsorbing Agents		Non-Reactive	Non-Reactive
Extraneous Viruses (FAb)		Not Detected	Not Detected
Bluetongue Virus		Not Detected	Not Detected
Bovine Adenovirus		Not Detected	Not Detected
Bovine Parvovirus		Not Detected	Not Detected
Bovine Viral Diarrhea (Cytopathic)		Not Detected	Not Detected
Bovine Respiratory Syncytial Virus		Not Detected	Not Detected
Rabies Virus		Not Detected	Not Detected
Reovirus		Not Detected	Not Detected
Physical Testing			
Electrophoretic Pattern	Cellulose Acetate Electrophoresis	Normal	Normal
Osmolality	USP <785> & EP 2.2.35	260 – 350 mOsm/kg	314 mOsm/kg
pH @ RT	USP <791> & EP 2.2.3	6.5 – 8.5	7.20
Biochemistry			
Albumin		Test and Report	2.2 g/dL
Alkaline Phosphatase		Test and Report	326 IU/L
ALT (SGPT)		Test and Report	6 IU/L
AST (SGOT)		Test and Report	31 IU/L
GGT	Chemistry Analyzer	<10 U/L	5 IU/L
Bilirubin, Total		Test and Report	0.2 mg/dL



CERTIFICATE OF ANALYSIS
Foundation™ Fetal Bovine Serum
(Catalog Number 900-108)

Lot Number: A326006

Test	Methodology	Specification	Analysis
BUN		Test and Report	19 mg/dL
Calcium		Test and Report	13.6 mg/dL
Chloride		Test and Report	99 mmol/L
Cholesterol		Test and Report	30 mg/dL
Cortisol		Test and Report	0.21 µg/dL
Creatinine		Test and Report	2.76 mg/dL
Glucose		Test and Report	77 mg/dL
IgG	ELISA	<0.300 mg/mL*	0.1198 mg/mL
Insulin		Test and Report	8.78 µIU/mL
Iron, Serum		Test and Report	158 µg/dL
Phosphorus		Test and Report	9.1 mg/dL
Potassium		Test and Report	11.0 mmol/L
Progesterone		Test and Report	<0.1 ng/mL
Protein, Total	USP <1057> & EP 2.5.33	2.5 – 6.0 g/dL	3.7 g/dL
Sodium		Test and Report	137 mmol/L
Testosterone		Test and Report	<0.01 ng/mL
T3		Test and Report	119.0 ng/dL
T4		Test and Report	17.0 µg/dL
Triglycerides		Test and Report	66 mg/dL
Uric Acid		Test and Report	1.9 mg/dL

Our fetal bovine serum meets all USDA requirements and has passed ante and post-mortem inspection. It is collected in countries recognized as being free of foot-and-mouth disease and rinderpest. The origin of all fetal bovine serum is traceable by lot number, date, and country of collection. Precipitates may develop in this product upon freezing and/or thawing; this occurrence does not impact culture performance. *Some geographic regions may test higher than 0.300 mg/mL. If this be the case, refer to GGT results less than 10 U/L to ensure FBS purity.

The testing that has been performed as part of this lot release has been reviewed by Quality Assurance personnel and has confirmed that the testing meets the specifications presented on this Certificate of Analysis.

Cassandra Baraza
Name

08 JUL 2020
Date

QC Associate III
Title