



CERTIFICATE OF ANALYSIS

BenchMark™ Fetal Bovine Serum

(Catalog Number 100-106)

Lot Number: A326000-R1

Date of Manufacture: Sep2026

Product Expiry: Jan2031

Origin: Honduras

Storage Temperature: ≤ -10°C

For cell culture, further manufacturing or research use only. Not for direct therapeutic use.

Product Description: BenchMark™ Fetal Bovine Serum is sterile-filtered through a 0.1 µm filter prior to freezing.

Test	Methodology	Specification	Analysis
Biological Testing			
Endotoxin*	USP <85> & EP 2.6.14	<10.0 EU/mL	1 EU/mL
Hemoglobin	USP <90>	<20.0 mg/dL	12.06 mg/dL
Microbiological Testing			
Sterility*	USP <71>		
Bacteria		No Growth	No Growth
Fungi		No Growth	No Growth
Mycoplasma	Barile and Kern & Hoechst Fluorochrome Stain	Not Detected	Not Detected
Viral Testing	9CFR 113.53c [113.46, 113.47]		
Cytopathic Agents		Not Detected	Not Detected
Hemadsorbing Agents		Not Detected	Not Detected
Extraneous Viruses (FAB)			
Bluetongue Virus		Not Detected	Not Detected
Bovine Adenovirus		Not Detected	Not Detected
Bovine Parvovirus		Not Detected	Not Detected
Bovine Viral Diarrhea (Cytopathic)		Not Detected	Not Detected
Bovine Respiratory Syncytial Virus		Not Detected	Not Detected
Rabies Virus		Not Detected	Not Detected
Reovirus		Not Detected	Not Detected
Physical Testing			
Electrophoretic Pattern	Cellulose Acetate Electrophoresis	Normal	Normal
Osmolality	USP <785> & EP 2.2.35	260 – 350 mOsm/kg	312 mOsm/kg
pH	USP <791> & EP 2.2.3	6.5 – 8.5	7.24
Biochemistry Testing			
Albumin		Test and Report	2.3 g/dL
Alkaline Phosphatase		Test and Report	316 IU/L
ALT (SGPT)		Test and Report	5 IU/L
AST (SGOT)		Test and Report	25 IU/L
GGT	Chemistry Analyzer	<10 U/L	6 IU/L
Bilirubin, Total		Test and Report	0.2 mg/dL
BUN		Test and Report	20 mg/dL



CERTIFICATE OF ANALYSIS
BenchMark™ Fetal Bovine Serum
(Catalog Number 100-106)

Lot Number: A326000-R1

Test	Methodology	Specification	Analysis
Calcium	ELISA	Test and Report	13.9 mg/dL
Chloride		Test and Report	99 mmol/L
Cholesterol		Test and Report	30 mg/dL
Cortisol		Test and Report	0.29 µg/dL
Creatinine		Test and Report	3.00 mg/dL
Glucose		Test and Report	81 mg/dL
IgG		<0.300 mg/mL*	0.1401 mg/dL
Insulin		Test and Report	9.68 µIU/mL
Iron, Serum		Test and Report	156 µg/dL
Phosphorus		Test and Report	9.2 mg/dL
Potassium	USP <1057> & EP 2.5.33	Test and Report	10.6 mmol/L
Progesterone		Test and Report	<0.1 ng/mL
Protein, Total		2.5 – 6.0 g/dL	3.9 g/dL
Sodium		Test and Report	137 mmol/L
Testosterone		Test and Report	<0.01 ng/mL
T3		Test and Report	115.0 ng/dL
T4		Test and Report	23.0 µg/dL
Triglycerides		Test and Report	58 mg/dL
Uric Acid		Test and Report	2.1 mg/dL

Our fetal bovine serum meets all USDA requirements and has passed ante and post-mortem inspection. It is collected in countries recognized as being free of foot-and-mouth disease and rinderpest. The origin of all fetal bovine serum is traceable by lot number, date, and country of collection. Precipitates may develop in this product upon freezing and/or thawing; this occurrence does not impact culture performance. *Some geographic regions may test higher than 0.300 mg/mL. If this be the case, refer to GGT results less than 10 U/L to ensure FBS purity. *Testing was performed after redispense to confirm test result meets final product specification. The test result reported is obtained from parent lot (prior to redispense).

The testing that has been performed as part of this lot release has been reviewed by Quality Assurance personnel and has confirmed that the testing meets the specifications presented on this Certificate of Analysis.

Alexandra Peña
Name

19 OCT 2026
Date

QA Associate II
Title